

General

Title

Initiation of alcohol and other drug (AOD) treatment: percentage of patients who initiate treatment through an inpatient AOD admission, outpatient visit, intensive outpatient service or partial hospitalization within 14 days of the diagnosis.

Source(s)

National Committee for Quality Assurance (NCQA). HEDIS 2015 technical specifications for ACO measurement. Washington (DC): National Committee for Quality Assurance (NCQA); 2014. various p.

Measure Domain

Primary Measure Domain

Clinical Quality Measures: Access

Secondary Measure Domain

Clinical Quality Measure: Process

Brief Abstract

Description

This measure is used to assess the percentage of adolescent and adult patients who initiate treatment through an inpatient alcohol and other drug (AOD) admission, outpatient visit, intensive outpatient service or partial hospitalization within 14 days of the diagnosis.

See the related National Quality Measures Clearinghouse (NQMC) summary of the National Committee for Quality Assurance (NCQA) measure Engagement of alcohol and other drug (AOD) treatment: percentage of patients who initiated treatment and who had two or more additional services with a diagnosis of AOD within 30 days of the initiation visit.

Note from the National Quality Measures Clearinghouse (NQMC): For this measure, there are both Electronic and Hybrid Specifications. This NQMC measure summary is based on the Electronic specification. Refer to the original measure documentation for details pertaining to the Hybrid specification.

Rationale

There are more deaths, illnesses and disabilities from substance abuse than from any other preventable health condition. Treatment of medical problems caused by substance abuse places a huge burden on the health care system (Schneider Institute for Health Policy & Brandeis University, 2001).

Identifying people with alcohol and other drug (AOD) disorders is an important first step in the process of care, but identification often does not lead to initiation of care (McCorry et al., 2000). Someone may not initiate treatment because of the social stigma associated with AOD disorders, denial of the problem or lack of immediately available treatment services (McCorry et al., 2000). This measure is designed to ensure that treatment is initiated once the need has been identified, and permits comparison of effectiveness in initiating care.

Evidence for Rationale

McCorry F, Garnick DW, Bartlett J, Cotter F, Chalk M. Developing performance measures for alcohol and other drug services in managed care plans. Washington Circle Group. Jt Comm J Qual Improv. 2000 Nov;26(11):633-43. PubMed

National Committee for Quality Assurance (NCQA). HEDIS 2015: Healthcare Effectiveness Data and Information Set. Vol. 1, narrative. Washington (DC): National Committee for Quality Assurance (NCQA); 2014. various p.

Schneider Institute for Health Policy, Brandeis University. The nation's number one health problem. Princeton (NJ): Robert Wood Johnson Foundation; 2001.

Primary Health Components

Alcohol and other drug (AOD) dependence; initiation of treatment; adolescents

Denominator Description

Adolescent and adult patients age 13 years and older as of December 31 of the measurement year, with a Negative Diagnosis History, with a new episode of alcohol or other drug (AOD) dependence during the Intake Period (see the related "Denominator Inclusions/Exclusions" field)

Numerator Description

Initiation of alcohol and other drug (AOD) treatment through an inpatient admission, outpatient visit, intensive outpatient encounter, or partial hospitalization within 14 days of diagnosis (see the related "Numerator Inclusions/Exclusions" field)

Evidence Supporting the Measure

Type of Evidence Supporting the Criterion of Quality for the Measure

A formal consensus procedure, involving experts in relevant clinical, methodological, public health and organizational sciences

One or more research studies published in a National Library of Medicine (NLM) indexed, peer-reviewed journal

Additional Information Supporting Need for the Measure

Unspecified

Extent of Measure Testing

All HEDIS measures undergo systematic assessment of face validity with review by measurement advisory panels, expert panels, a formal public comment process and approval by the National Committee for Quality Assurance's (NCQA's) Committee on Performance Measurement and Board of Directors. Once NCQA establishes national benchmarks for accountable care organization (ACO) performance, all measures will undergo formal reliability testing of the performance measure score using beta-binomial statistical analysis. Where applicable, measures also are assessed for construct validity using the Pearson correlation test.

Evidence for Extent of Measure Testing

Rehm B. (Assistant Vice President, Performance Measurement, National Committee for Quality Assurance, Washington, DC). Personal communication. 2015 Apr 8. 1 p.

State of Use of the Measure

State of Use

Current routine use

Current Use

not defined yet

Application of the Measure in its Current Use

Measurement Setting

Accountable Care Organizations

Ambulatory/Office-based Care

Emergency Department

Hospital Inpatient

Hospital Outpatient

Substance Use Treatment Programs/Centers

Professionals Involved in Delivery of Health Services

not defined yet

Least Aggregated Level of Services Delivery Addressed

Multisite Health Care or Public Health Organizations

Statement of Acceptable Minimum Sample Size

Specified

Target Population Age

Age greater than or equal to 13 years

Target Population Gender

Either male or female

National Strategy for Quality Improvement in Health Care

National Quality Strategy Aim

Better Care

National Quality Strategy Priority

Prevention and Treatment of Leading Causes of Mortality

Institute of Medicine (IOM) National Health Care Quality Report Categories

IOM Care Need

Getting Better

Living with Illness

IOM Domain

Effectiveness

Data Collection for the Measure

Case Finding Period

January 1 to November 15 of the measurement year

Denominator Sampling Frame

Patients associated with provider

Denominator (Index) Event or Characteristic

Clinical Condition

Encounter

Institutionalization

Patient/Individual (Consumer) Characteristic

Therapeutic Intervention

Denominator Time Window

not defined yet

Denominator Inclusions/Exclusions

Inclusions

Adolescent and adult patients age 13 years and older as of December 31 of the measurement year, with a Negative Diagnosis History, with a new episode of alcohol or other drug (AOD) dependence during the Intake Period

Note:

Identify all patients in the specified age range who during the Intake Period had one of the following:

An outpatient visit, intensive outpatient visit or partial hospitalization with a diagnosis of AOD. Any of the following code combinations meet criteria:

IET Stand Alone Visits Value Set with AOD Dependence Value Set

 $\hbox{\it IET Visits Group 1 Value Set with IET POS Group 1 Value Set and AOD Dependence Value Set } \\$

IET Visits Group 2 Value Set with IET POS Group 2 Value Set and AOD Dependence Value Set

A detoxification visit (Detoxification Value Set)

An emergency department (ED) visit (ED Value Set) with a diagnosis of AOD (AOD Dependence Value Set)

An inpatient discharge with a diagnosis of AOD as identified by either of the following:

An inpatient discharge with a diagnosis of AOD (AOD Dependence Value Set)

An inpatient discharge with an AOD procedure code (AOD Procedures Value Set)

IESD: The earliest date of service for an inpatient, intensive outpatient, partial hospitalization, outpatient, detoxification or ED visit during the Intake Period with a diagnosis of AOD.

For an outpatient, intensive outpatient, partial hospitalization, detoxification, or ED visit (not resulting in an inpatient stay), the IESD is the date of service.

For an inpatient (acute or nonacute) stay, the IESD is the date of discharge.

For an ED visit that results in an inpatient stay, the IESD is the date of the inpatient discharge.

For direct transfers, the IESD is the discharge date from the second admission.

Intake Period: January 1 to November 15 of the measurement year. The Intake Period is used to capture new episodes of AOD. Negative Diagnosis History: A period of 60 days (2 months) before the IESD when the patient had no visits or stays with a diagnosis of AOD dependence.

For an inpatient stay, use the admission date to determine the Negative Diagnosis History.

For ED visits that result in an inpatient stay, use the ED date of service to determine the Negative Diagnosis History.

For direct transfers, use the first admission to determine the Negative Diagnosis History.

Refer to the original measure documentation for steps to identify the eligible population.

Exclusions

Test for Negative Diagnosis History. Exclude patients who had a claim/encounter with a diagnosis of AOD (AOD Dependence Value Set) during the 60 days (2 months) before the IESD.

Exclude patients if the initiation of treatment event is an inpatient stay with a discharge date after December 1 of the measurement year.

Value Set Information

Measure specifications reference value sets that must be used for HEDIS reporting. A value set is the

complete set of codes used to identify t	ne service(s) or condition(s) included in the measure. Refer to the
NCQA Web site	to purchase HEDIS 2015 Technical Specifications for ACO
Measurement, which includes the Value	Set Directory.

Exclusions/Exceptions

not defined yet

Numerator Inclusions/Exclusions

Inclusions

Initiation of alcohol and other drug (AOD) treatment through an inpatient admission, outpatient visit, intensive outpatient encounter, or partial hospitalization within 14 days of diagnosis

Note:

If the Index Episode was an inpatient discharge, the inpatient stay is considered initiation of treatment and the patient is compliant. If the Index Episode was an outpatient, intensive outpatient, partial hospitalization, detoxification or emergency department (ED) visit, the patient must have an inpatient admission, outpatient visit, intensive outpatient encounter, or partial hospitalization, with a diagnosis of AOD, within 14 days of the Index Episode Start Date (IESD) (inclusive). If the IESD and the initiation visit occur on the same day, they must be with different providers in order to count. Any of the following code combinations meet criteria:

An inpatient admission with a diagnosis of AOD (AOD Dependence Value Set)

IET Stand Alone Visits Value Set with AOD Dependence Value Set

IET Visits Group 1 Value Set with IET POS Group 1 Value Set and AOD Dependence Value Set

IET Visits Group 2 Value Set with IET POS Group 2 Value Set and AOD Dependence Value Set

If the initiation of treatment event is an inpatient admission, the admission date (not the discharge date) must be within 14 days of the IESD (inclusive).

Index Episode: The earliest inpatient, intensive outpatient, partial hospitalization, outpatient, detoxification or ED visit during the Intake Period with a diagnosis of AOD.

Exclusions

Do not count events that include inpatient detoxification or detoxification codes (Detoxification Value Set) when identifying initiation of treatment.

Value Set Information

Measure specifications reference value sets that must be used for HEDIS reporting. A value set is the complete set of codes used to identify the service(s) or condition(s) included in the measure. Refer to the NCQA Web site ______ to purchase HEDIS 2015 Technical Specifications for ACO Measurement, which includes the Value Set Directory.

Numerator Search Strategy

Fixed time period or point in time

Data Source

Administrative clinical data

Electronic health/medical record

Paper medical record

Type of Health State

Does not apply to this measure

Instruments Used and/or Associated with the Measure

Computation of the Measure

Measure Specifies Disaggregation

Does not apply to this measure

Scoring

Rate/Proportion

Interpretation of Score

Desired value is a higher score

Allowance for Patient or Population Factors

not defined yet

Description of Allowance for Patient or Population Factors

The Accountable Care Organization (ACO) aggregate population is reported as a whole, with an option to report Medicaid separately for measures for which HEDIS Health Plan Measurement offers Medicaid specifications.

The measure has two age stratifications and a total rate:

13 to 17 years 18 years and older Total

The total is the sum of the numerators divided by the sum of the denominators.

Standard of Comparison

not defined yet

Identifying Information

Original Title

Initiation and engagement of alcohol and other drug dependence treatment (AIET): initiation of AOD treatment.

Measure Collection Name

HEDIS 2015: Accountable Care Organization (ACO) Collection

Measure Set Name

Effectiveness of Care

Measure Subset Name

Access and Availability

Submitter

National Committee for Quality Assurance - Health Care Accreditation Organization

Developer

National Committee for Quality Assurance - Health Care Accreditation Organization

Funding Source(s)

Unspecified

Composition of the Group that Developed the Measure

National Committee for Quality Assurance's (NCQA's) Measurement Advisory Panels (MAPs) are composed of clinical and research experts with an understanding of quality performance measurement in the particular clinical content areas.

Financial Disclosures/Other Potential Conflicts of Interest

In order to fulfill National Committee for Quality Assurance's (NCQA's) mission and vision of improving health care quality through measurement, transparency and accountability, all participants in NCQA's expert panels are required to disclose potential conflicts of interest prior to their participation. The goal of this Conflict Policy is to ensure that decisions which impact development of NCQA's products and services are made as objectively as possible, without improper bias or influence.

Endorser

National Quality Forum - None

NQF Number

not defined yet

Date of Endorsement

2016 Feb 8

Adaptation

This measure was adapted from the HEDIS Technical Specifications for Health Plans ("HEDIS Health Plan

Measurement") and HEDIS Physician Measurement.

Date of Most Current Version in NQMC

2014 Nov

Measure Maintenance

Annual

Date of Next Anticipated Revision

Unspecified

Measure Status

This is the current release of the measure.

This measure updates a previous version: National Committee for Quality Assurance (NCQA). HEDIS 2013 technical specifications for ACO measurement. Washington (DC): National Committee for Quality Assurance (NCQA); 2012. various p.

The measure developer reaffirmed the currency of this measure in November 2015.

Measure Availability

Source available	for purchase	from the	National	Committee	for Quality	Measurement	(NCQA)	Web site

For more information, contact NCQA at 1100	13th Street, NW	, Suite 1000,	, Washington,	, DC 20005;	Phone:
202-955-3500; Fax: 202-955-3599; Web site	: www.ncga.org				

NQMC Status

This NQMC summary was completed by ECRI Institute on June 11, 2014.

This NQMC summary was updated by ECRI Institute on April 16, 2015.

The information was reaffirmed by the measure developer on November 2, 2015.

Copyright Statement

This NQMC summary is based on the original measure, which is subject to the measure developer's copyright restrictions.

Content adapted and reproduced with permission from the National Committee for Quality Assurance (NCQA). HEDIS® is a registered trademark of NCQA. HEDIS measures and specifications were developed by and are owned and copyrighted by NCQA. HEDIS measures and specifications are not clinical guidelines and do not establish a standard of medical care. NCQA makes no representations, warranties, or endorsement about the quality of any organization or physician that uses or reports performance measures and NCQA has no liability to anyone who relies on such measures or specifications. Limited proprietary coding is contained in the measure specifications for convenience. Users of the proprietary

code sets should obtain all necessary licenses from the owners of these code sets. NCQA disclaims all liability for use or accuracy of any coding contained in the specifications.

Anyone desiring to use or reproduce the measure abstracts without modification for a non-commercial purpose may do so without obtaining any approval from NCQA. All commercial uses of the measure abstracts must be approved by NCQA and are subject to a license at the discretion of NCQA. To purchase copies of the full measures and specifications, which contain additional distribution and use restrictions, contact NCQA Customer Support at 888-275-7585 or visit www.ncqa.org/publications

Production

Source(s)

National Committee for Quality Assurance (NCQA). HEDIS 2015 technical specifications for ACO measurement. Washington (DC): National Committee for Quality Assurance (NCQA); 2014. various p.

Disclaimer

NQMC Disclaimer

The National Quality Measures Clearinghouseâ, ¢ (NQMC) does not develop, produce, approve, or endorse the measures represented on this site.

All measures summarized by NQMC and hosted on our site are produced under the auspices of medical specialty societies, relevant professional associations, public and private organizations, other government agencies, health care organizations or plans, individuals, and similar entities.

Measures represented on the NQMC Web site are submitted by measure developers, and are screened solely to determine that they meet the NQMC Inclusion Criteria.

NQMC, AHRQ, and its contractor ECRI Institute make no warranties concerning the content or its reliability and/or validity of the quality measures and related materials represented on this site. Moreover, the views and opinions of developers or authors of measures represented on this site do not necessarily state or reflect those of NQMC, AHRQ, or its contractor, ECRI Institute, and inclusion or hosting of measures in NQMC may not be used for advertising or commercial endorsement purposes.

Readers with questions regarding measure content are directed to contact the measure developer.